### AXIOM® 0/6 TWIN (6 Lower Warmers)

Height: 20.5" Width: 30.6" Depth: 22.5" (52.1cm) (77.7cm) (57.2cm)





- · Adjusts automatically to varying water pressure
- Automatic warmer shut-off
- For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- Electronic diagnostics and built-in tank drain make service easier
- Large 200oz. (5.9L) tank provides back-to-back brewing capacity
- Ensure coffee quality with programming for brew level, cold brew lock- out and tank temperature, set easily from the front of the machine
- Coffee extraction controlled with programmable pre-infusion, pulse brew and digital temperature precision
- · All stainless steel construction
- Energy-saver mode reduces tank temperature during idle periods
- Hot water faucet
- SplashGard® funnels deflect hot liquids away from the hand
- Six individually controlled warming stations
- Twin brew head system
- PROP 65 Warning Decal included in packaging with equipment
- · Servers not included unless otherwise noted

#### Agency:





#### **Specifications**

Product #: 38700.0015 Faucet: Upper

Water Access: Plumbed Warmers: Six Lower
Finish: Stainless Legs: 4" Black Legs

Funnel: Stainless Steel

### Additional Features

DBC

### **Electrical & Capacity**

120/208-240	27.9	6700	No	-	240	60°F (15.5°C)	1	3	60
Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H <sup>2</sup> O Temp.	Phase	# Wires	Hertz

"When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

#### Plumbing Requirements


	r idinang regaremente						
PSI kPa		kPa	Fitting Supplied	Water Flow Required (GPM)			
	20-90	138-621	1/4" Male Flare Fitting	-			

#### **CAD Drawings**

2D	Revit	KLC		
•				

★ WARNING: This product can expose you to chemicals including Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov





	Unit				Shipping				
	Height	Width	Depth	Height	Width	Depth	Weight	Volume	
English	20.5 in.	30.6 in.	22.5 in.	24.1 in.	25.5 in.	33.5 in.	74.000 lbs	11.926 ft³	
Metric	52.1 cm	77.7 cm	57.2 cm	61.3 cm	64.8 cm	85.1 cm	33.566 kgs	0.338 m³	



### Related Products & Accessories: AXIOM® 0/6 TWIN (6 Lower Warmers) (38700.0015)



FUNNEL W/DECAL,PPK NAR BLK(SM)

Product #: 02774.0011



FUNNEL W/DECAL,PPK NAR BLK(LG)

Product #: 04274.0012



FILTERS, REGULAR1M 500/2 50/CL

Product #: 20115.0000



FILTERS,C GOURMET 500/2 50/CL

Product #: 20157.0001



FUNNEL ASSY, SST-BLK HDL(7.12

Product #: 20216.0000



FUNNEL ASSY, SST-BLK HDL(7.62

Product #: 20217.0000



FUNNEL ASSY, SST-PP **BLK HNDL** 

Product #: 29151.0000



**FUNNEL ASSY, SST-PP ORANGE HDL** 

Product #: 29151.0001



WATER FILTER, EQHP-10L

Product #: 39000.0001



EQHP-10

Product #: 39000.0004



WATER FILTER, SCALE-**PRO** 

Product #: 39000.0010



SYSTEM, WQ-55(2)5L

Product #: 56000.0001



SYSTEM, WQ-55(2)5

Product #: 56000.0004



SYSTEM, WQ-SCALE-PRO.X-150(15)

Product #: 56000.0010



SYSTEM, WEQ-10(1.5)5L

Product #: 56000.0024



SYSTEM, WEQ-10(1.5)5

Product #: 56000.0027



PRO.X

Product #: 56000.0033



CARTRIDGE, WQ-55(2)5L

Product #: 56000.0101



CARTRIDGE, WQ-55(2)5

Product #: 56000.0104



CARTRIDGE, WQ-SCALE-PRO.X-150(15)

Product #: 56000.0110

## Related Products & Accessories: AXIOM® 0/6 TWIN (6 Lower Warmers) (38700.0015)









# Serving & Holding Options: AXIOM® 0/6 TWIN (6 Lower Warmers)(38700.0015)



EASY POUR®, (BLK) 1/CS

Product #:06100.0101



EASY POUR®, (BLK) 2/CS

Product #:06100.0102



EASY POUR®, (BLK) 3/CS

Product #:06100.0103



EASY POUR®, (BLK) 6/CS

Product #:06100.0106



EASY POUR®,(BLK) 12/

Product #:06100.0112



EASY POUR®,(BLK) 24/

Product #:06100.0124



EASY POUR®,(ORN) 1/ CS

Product #:06101.0101



EASY POUR®,(ORN) 2/

Product #:06101.0102



EASY POUR®, (ORN) 3/

Product #:06101.0103



EASY POUR®,(ORN) 24/ CS

Product #:06101.0124



DECANTER, GLASS-BLK 12C 24/CS

Product #:42400.0024



DECANTER, GLASS-BLK 12CUP 1PK

Product #:42400.0101



DECANTER, GLASS-BLK 12C 3/CS

Product #:42400.0103



DECANTER, GLASS-ORN 12C 24/CS

Product #:42401.0024



DECANTER, GLASS-ORN 12 CUP 1PK

Product #:42401.0101



12C 3/CS

Product #:42401.0103