# BUNN® VELOCITY BREW®

BREW BETTER, NOT BITTER®

BUNN Velocity Brew coffee brewers are different than other coffee makers. Unlike ordinary machines, they feature an internal hot water tank that keeps water at the right brewing temperature – so it's always ready to brew a perfect pot of coffee in about 4 minutes.



## ST

- Gourmet sprayhead for freshly ground coffee
- Brews 10 cups (50 oz) at a time
- Thermal carafe
- Color: Graphite black with stainless and silver accents



## NHB

- Brews 10 cups (50 oz) at a time
- Glass carafe
- Colors: Black or white, both with stainless accents
- High altitude models available



## BT

- Brews 10 cups (50 oz) at a time
- Thermal carafe
- Color: Black with stainless accents
- High altitude models available



## BX

- Brews 10 cups (50 oz) at a time
- Glass carafe
- Colors: Black or white, both with stainless accents
- High altitude models available



## GR

- Brews 10 cups (50 oz) at a time
- Glass carafe
- Colors: Black or white
- High altitude models available

**For more information: Call 800-352-2866 or visit www.bunnathome.com**

01/12 © 2010 Bunn-O-Matic® Corporation

# WHY BUNN® BREWS BETTER


| VELOCITY BREW® | VS. | TYPICAL DRIP |
| --- | --- | --- |
| Brews at 200°F, the right temperature for rich coffee flavor without bitterness. |  | Brews at an inconsistent temperature. If water's too cold, flavor can get left behind. If water's too hot, coffee can taste bitter. |
| Water travels quickly through our unique sprayhead – creating the turbulence needed to wet the grounds evenly and extract perfect flavor. |  | Drips water slowly over grounds, so there's not enough turbulence for even flavor extraction. Some grounds are over-extracted, making coffee taste bitter. |
| 3-minute brew cycle, the right time for rich, smooth coffee that's never bitter. |  | Heats water during the brew cycle, dripping it slowly onto grounds. The longer brew cycle makes coffee taste bitter. |

It's our mission to help you brew, and enjoy, your best cup.

# BUNN® *Dimensions & Specifications*

| Model | Volts | Amps | Tank Heater Watts | Total Watts | Brewing Capacity | Shipping Weight | Agency |
|---|---|---|---|---|---|---|---|
| NHB-B *(Black)* | 120 | 8 | 800 | 947 | 50 oz.(10 cups) | 7.1 lbs. (3.2 kg) | UL LISTED |
| NHB-W *(White)* | 120 | 8 | 800 | 947 | 50 oz.(10 cups) | 7.1 lbs. (3.2 kg) | UL LISTED |

Electrical: Model has attached cordset and requires 2-wire grounded service rated 120V, single phase, 60 Hz.




Bunn-O-Matic® Corporation - 1400 Stevenson Drive Springfield, Illinois 62703 • 800-637-8606 • 217-529-6601 • Fax 217-529-6644 • www.bunn.com

BUNN® practices continuous product research and improvement. We reserve the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment.

All dimensions shown in inches.

*01/12 © Bunn-O-Matic Corporation*