GOLDRUSH • NUGGET NITE CLUB • APPRENTICE

6 OZ SMALL POPPERS

Small but mighty. Whether you are popping corn at home, a convenience store, a school or a cafeteria, C. Cretors and Company makes it easy and effortless with our small 6 oz poppers. They're perfect for work, school, or a store. Cretors popping equipment combines clean design and exceptional technology with unsurpassed durability. Helping you to pop delicious popcorn each and every time.



Goldrush Red Top

- 6 oz nickel plated all-steel kettle
- First on the market to have the patented One-Pop safety option
- · Top seller



Goldrush Antique

- 6 oz nickel plated all-steel kettle
- · Hand-painted scrollwork




Nugget

- 6 oz nickel plated all-steel kettle
- · Aluminum frame
- Excellent entry level popper




Nite Club

- 6 oz nickel plated all-steel kettle
- · Tinted windows and etched glass
- Subtle yet sophisticated design



Apprentice

- 6 oz stainless-steel kettle
- · Stainless-steel frame and top
- · Affordable quality













T-2000 • TRILOGY

With a slightly larger cabinet and kettle size, the T-2000 produces 33% more popcorn per cycle than the Goldrush. The T-2000 is the perfect mid-range popper. Choose between a standard or antique-style cabinet.

8 OZ SMALL POPPERS



T-2000 Red Top

- 8 oz nickel plated all-steel kettle
- · Increased capacity with compact footprint
- · Profit sharing and rental market workhorse



T-2000 Antique

- 8 oz nickel plated all-steel kettle
- · Hand-painted scrollwork






Trilogy

- Three different popping capacities in one stainless-steel kettle: 8, 12, 16 oz
- · Includes all key features found on regular Cretors poppers (excluding cycling pilot light)
- Uses standard 120v/15amp outlet in U.S., 120v/20amp in Canada













T-3000 • PROFITEER

12 AND 14 OZ SMALL POPPERS

With an almost 50% increase in popcorn production over the T-2000, the T-3000 is the gateway in the Cretors small popper line to our large popcorn machines. The T-3000 Plus and the Profiteer are the only small concession poppers that are equipped for automatic oil pumps. The T-3000 Plus also has the hot air Cornditioner system, providing large machine capabilities in a small machine footprint.



T-3000 Red Top

- 12 oz nickel plated all-steel kettle
- Up to 50% popcorn production increase over the 8 oz popper
- · Easily serves a crowd



T-3000 Plus Red Top

- 12 oz nickel plated all-steel kettle
- Direct oil feed
- · Hot-air Cornditoner blower
- · High production in limited space



T-3000 Antique

- 12 oz nickel plated all-steel kettle
- Available in T-3000 and T-3000 Plus Models




Profiteer Red Top

- 14 oz nickel plated all-steel kettle
- · Stainless-steel welded construction
- · Includes direct oil feed



Profiteer Antique

- 14 oz nickel plated all-steel kettle
- Stainless-steel welded construction
- · Includes direct oil feed











SMALL POPPER FEATURES

- Interior heat lamp
- Illuminated eye-level rocker switches
- **Cycling pilot light indicator** (excluding Apprentice and Trilogy)
- Clean-in-place, swing down, nickel-plated all-steel kettle, or stainless-steel kettle
- Direct drive motor
- Removable one-piece kettle lid with magnetic catch and agitator for ease of use and cleaning
- Welded stainless-steel cabinet (excluding Nugget)
- Tempered safety glass front and sides

- · Lift-off Vyvak doors for easy cleaning
- Thermostatically controlled heated corn deck for fresh, crisp popcorn
- · Lift-off, one-piece drop shelf for easy access to cabinet
- Stainless-steel popper case, deck and clean out drawer
- Heavy-duty kettle dump spring (on T-3000, T-3000 Plus and Profiteer)
- . Included accessory kit contains measuring tools for salt, corn, oil and popcorn scoop

Integrated pump for the T-3000 Plus and Profiteer

SMALL POPPER OPTIONS

Patented One-Pop/One-Pop with cycle counter

- This patented safety feature will bring you peace of mind! It not only saves energy, but it reduces the chances of a grease fire in your home theatre, grocery store, car dealer, hotel or anywhere else you pop. It's the safest machine on the market. With the push of a button the kettle will heat, pop a batch of corn, and turn itself off after one popping cycle, not allowing an unattended kettle of popped corn to catch fire if forgotten.
- . The counter option will count the number of popping cycles the popper has performed, ideal when the number of popping cycles needs to be recorded. It's perfect for profit-sharing programs or calculating corn usage.

Stainless Steel Top



Salt/Sugar Switch Option



Patented One-Pop Counter Option

Salt/sugar switch

With a single switch, change between the higher temperature of salted corn production and the lower temperature needed for sugar corn, kettle or glazed popcorn production.

Stainless-steel kettle

- Stainless-steel durability is built directly into the kettle and will never rust.
- Stainless steel is superior to other surfaces and is not damaged by carbon remover or kettle cleaner.
- · It provides improved heat transfer technology, which evenly heats the bottom of the kettle and creates a more uniform popping surface temperature that heats up quickly to maximize corn expansion.

Custom powder coating paint colors

Customize your machine for an additional charge to reflect a favorite collegiate or professional sports team, your corporate colors or to blend with any décor. We can match any PMS color to create a one-of-a-kind machine.



Stainless-steel Kettle



Colors shown are examples only. Contact Cretors for pricing and more information regarding custom-color machines.











OIL PUMPS, HEATERS AND WARMERS

The stainless-steel design of our oil pumps, heaters and warmers make them simple to use. Cretors offers three styles of oil pumps: The Bag-in-Box (BIB) Oil Pump, the Self Contained Automatic Bucket Pump and the Box Pump. Ideal for movie theaters, concession stands, restaurants, gourmet popcorn stores, and self-serve applications.



The Original Automatic Bag-in-Box (BIB) Oil Pump

Cretors first brought this innovation to concession stands based on a customer request for a pump that was easier to use and keep clean. The robust gear pump will ensure extended-term pump life.

- · Heated shelf holds and warms two 35 lb boxes of popping oil
- · Electronic timer provides accurate portion control when used in a popcorn machine.
- · Heated oil tubes available for coconut oil
- Front or rear oil line (optional)
- · Remote control switch
- · Cabinet heater blower for use with coconut oil (optional)



Heated Oil Pail Step

The Oil Pail Step makes it easy to slide a 50 lb pail of coconut oil into the base of your Cretors popcorn machine without spillage. Our step features a passive low-wattage heater to liquefy your reserve pail of coconut oil for an easy switch over to a fresh pail when needed.



Control Switch

Designed for machines that are oil ready but are not electrically wired for a pump.

· Combine with Bag-in-Box Oil Pump for Profiteer and T-3000 Plus



Bag-in-Box (BIB) Short Oil Pump

This single-shelf pump is perfect for situations when the double-shelf BIB Oil Pump is not practical due to space limitations.

· Heated shelf holds and warms one 35 lb box of popping oil



50 lb Bucket Pumps

- **Self-Contained Bucket Pump** for use with Profiteer and T-3000 Plus models
- Automatic Bucket Pump for use with all large poppers that are electrically wired for a pump
- Automatic portion control heats, measures and delivers oil to kettle.
- Rugged cast aluminum heating element
- Electronic 30-minute heat timer
- Use with 50 lb oil pail



Hot Rod

Hot Rod is the fastest, most economical way to melt solidified coconut oil in a pail. Rugged construction allows it to be forced into cold, hard oil. Insert the heating element directly into a pail of coconut oil, plug in and allow the heat to gently melt the oil for popper use.



Box Pump

A self-contained BIB oil pump with independent power cord provides compact oil delivery. This pump automatically delivers the proper amount of oil to the kettle with the push of a button. Magnets allow the pump to be placed anywhere in the machine. For liquid oils only.



Bag-in-Box (BIB) **Backroom Warmer**

Melting and maintaining popping oil at the proper temperature takes time. The BIB Backroom Warmer stores and liquefies four standard sized boxes on heated shelf decks, ensuring you have the popping oil you need when you need it.

- · Holds and warms four 35 lb boxes
- · Heated shelf decks melt and maintain product for immediate use
- Can be used to heat other BIB items, such as cheese or topping
- Two-shelf warmer also available



Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories









POPPING SUPPLIES



Butterfly Popcorn

- 50 lb bag
- · Good for theaters
- PART #14228



Mushroom Popcorn

- 50 lb bag
- · Good for caramel corn
- PART #14227



Portion Pack available in 6 oz, 8 oz, 12 oz

- 6 oz PK 36 PART #9820
- 8 oz PK 24 PART #9827
- 12 oz PK 28 PART #9830



Gourmet Salt

- · Butter flavored
- 2 lb bag, 12 bags per case
- PART #97940

Also available in 50 lb bulk box

• Part #9795



Maize Glaze

- 50 lb Bulk Box
- PART #18778-BULK



Eco Bags

- 1½ oz PK 1000 PART #12964
- 2½ oz PK 500 PART #12967
- 4 oz PK 500 PART #12968
- 5 oz PK 500 PART #12969

Support Our Troops Bag

- 21/2 oz PK500
- PART #12967-USA



Salted Corn Kit

· Contact your Cretors representative to order the appropriate kit size



Sugar Corn Kit

 Contact your Cretors representative to order the appropriate kit size













CLEANING SUPPLIES



Heat N' Spray (red can)

- 19 oz can
- 6 per case
- PART #12732



Inside Kettle Cleaner

- 16 oz
- 12 per case
- PART #2156



Carbon Cleaner (blue can)


- 19 oz can
- 6 per case
- PART #12731



Outside Kettle Cleaner

- 16 oz
- 12 per case
- PART #2157













KNOCK DOWN • BLACK TWO-WHEEL • RED TWO-WHEEL • STANDARD FOUR-WHEEL RED ANTIQUE • STEERABLE FOUR-WHEEL ANTIQUE

WAGON BASES - SMALL POPPERS (POPPERS SOLD SEPARATELY)

Charmingly reminiscent of Cretors wagons and poppers from 100 years ago, you can combine one of our wagon bases with either the standard or antique small concession poppers. Not only do our bases increase versatility and mobility, when strategically placed, our poppers become easy to spot and work hard to increase sales. They're ideal for locations where the counter model popper is not practical or a small floor model or mobility is needed.



Knock Down Wagon (shown assembled)

- · Made for 6 oz popper only
- Assembly required
- Can be purchased assembled





Black Two-Wheel Wagon

- Fits 6 oz Nite Club Popper
- · Black powder coating is tough and resists scratching



Red Two-Wheel Wagon

- Sizes available to fit 6, 8, 12 and 14 oz poppers
- · Red powder coating resists scratching



Standard Four-Wheel Red Antique Wagon Base

- Fits counter model poppers 6-14 oz
- Red powder coating resists scratching





Contact your Cretors representative for a complete list of agency approvals for each machine. Images may not reflect current equipment modifications, features and accessories









SMALL POPPERS NORTH AMERICA

			ELECTRICAL				MACHII	NE DIMEI INCHES	NSIONS	SHIP	DIMENS INCHES	IONS	SHIP WEIGHT
MACHINE	KETTLE	SERVINGS*	VOLTAGE	WATTS	AMPS	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
Nugget	6 oz	120	120V/60HZ	1100	9	5-15	14.50	20.50	30.75	19.00	24.00	34.00	56
Apprentice	6 oz	120	120V/60HZ	1250	10.4	5-15	14.00	18.00	28.00	20.00	25.00	31.75	70
Goldrush Red Top	6 oz	120	120V/60HZ	1150	9.5	5-15	14.50	21.00	27.50	19.00	24.00	31.00	56
Goldrush Antique	6 oz	120	120V/60HZ	1150	9.5	5-15	14.00	21.00	33.75	19.00	24.00	36.00	56
Goldrush Antique on Wagon Base	6 oz	120	120V/60HZ	1150	9.5	5-15	20.75	41.25	65.00	23.75	44.25	68.00	135
Nite Club	6 oz	120	120V/60HZ	1150	9.5	5-15	14.50	21.00	27.50	19.00	24.00	31.00	56
Trilogy	8/12/16 oz	160-320	120V/60HZ	1440	12	5-15	21.00	24.00	34.50	26.00	29.00	40.00	94
T-2000 Red Top	8 oz	160	120V/60HZ	1325	11	5-15	21.00	21.00	30.50	26.00	26.00	33.00	82
T-2000 Antique	8 oz	160	120V/60HZ	1325	11	5-15	21.00	21.00	37.50	26.00	26.00	41.00	78
Antique T-2000 on Wagon Base	8 oz	160	120V/60HZ	1325	11	5-15	28.00	41.75	66.50	31.00	43.00	70.00	185
T-3000 Red Top	12 oz	240	120V/60HZ	1800	15	5-15 •	21.00	24.00	34.50	26.00	29.00	40.00	105
T-3000 Antique	12 oz	240	120V/60HZ	1800	15	5-15 •	22.25	25.00	41.00	26.00	29.00	44.00	108
T-3000 Antique on Wagon Base	12 oz	240	120V/60HZ	1800	15	5-15 •	28.00	44.00	70.00	31.00	43.00	75.00	218
T-3000 Plus Red Top	12 oz	240	120V/60HZ	2260	19	5-20	21.00	24.00	34.50	26.00	29.00	40.00	113
T-3000 Plus Antique	12 oz	240	120V/60HZ	2260	19	L5-30	22.25	25.00	41.00	26.00	29.00	44.00	108
T-3000 Plus Antique on Wagon Base	12 oz	240	120V/60HZ	2260	19	L5-30	28.00	44.00	70.00	31.00	43.00	75.00	218
Profiteer Red Top	14 oz	280	120V/60HZ	1800	15	5-15	22.00	28.50	34.50	28.00	34.00	39.00	126
Profiteer Antique	14 oz	280	120V/60HZ	1800	15	5-15	23.50	30.00	42.25	28.00	34.00	45.00	128
Profiteer Antique on Wagon Base	14 oz	280	120V/60HZ	1800	15	5-15	28.00	41.75	72.25	31.00	43.50	75.00	237

^{* 1} oz servings per hour

Base and unit ship separately unless specified.

Due to voltage variations, your Amp draw may vary. OHM's Law is Amps=Watts/Volts





[•] For CSA/ULC, the T-3000 and Profiteer will require 5-20 NEMA Plug. The T-3000 Plus will require NEMA L5-30.

OIL PUMPS, HEATERS AND WARMERS NORTH AMERICA

	ELECTRICAL			MACHINE DIMENSIONS INCHES			SHIP DIMENSIONS INCHES			SHIP WEIGHT	
MACHINE	VOLTAGE	WATTS	AMPS	NEMA	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb
7700 Automatic Bucket Pump, remote control	120V/60HZ	700	5.8	-	22.00	13.00	13.00	25.00	15.00	15.00	20
7700 Automatic Bucket Pump, self contained (use with Profiteer)	120V/60HZ	700	5.8	5-15	22.00	13.00	13.00	25.00	15.00	15.00	20
7700 Automatic Bucket Salt/Sugar Pump	120V/60HZ	700	5.8	-	22.00	13.00	13.00	25.00	15.00	15.00	20
Hot Rod	120V/60HZ	400	3.3	5-15	2.50	23.50	2.25	4.00	24.00	2.50	4
Bag-in-Box Pump with side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	20.00	37
Bag-in-Box Pump Heated with side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	20.00	35
Bag-in-Box Pump Heated with front/rear discharge	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	19.00	35
Bag-in-Box Salt/Sugar Pump with Side oil line	120V/60HZ	250	2.1	-	18.00	13.75	16.50	22.00	17.25	19.00	35
Bag-in-Box Backroom Warmer Heated 4 shelf unit	120V/60HZ	180	1.5	5-15	17.00	16.00	49.50	20.00	20.00	51.00	74

WAGON BASES NORTH AMERICA

	MACHII	MACHINE DIMENSIONS INCHES			SHIP DIMENSIONS INCHES			
MACHINE	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	lb	
Antique Red Goldrush 2-Wheel Wagon	20.75	40.50	31.25	23.00	43.00	34.00	62	
Red Goldrush Two-Wheel Knock Down Wagon	20.75	41.25	31.25	21.25	21.25	14.00	47	
Red Goldrush Two-Wheel Knock Down Wagon – UPS	20.75	41.25	31.25	19.00	24.00	32.00	54	
Nite Club Black Two-Wheel Wagon	20.75	41.25	31.25	23.00	43.00	34.00	63	
Nite Club Black Two-Wheel Knock Down Wagon	20.75	41.25	31.25	22.00	23.00	13.00	48	
Nite Club Black Two-Wheel Knock Down Wagon – UPS	20.75	41.25	31.25	19.00	24.00	36.00	54	
Antique Red T-2000 Two-Wheel Wagon	28.00	41.75	32.25	31.00	46.00	37.00	109	
Antique Red T-3000 Two-Wheel Wagon	28.00	44.50	32.00	30.00	46.00	36.00	109	
Antique Red Profiteer Two-Wheel Wagon	28.00	40.50	33.25	31.00	46.00	36.00	109	
Antique Red Four-Wheel Wagon	29.75	59.00	33.25	33.00	62.00	39.00	174	
Antique Red Steerable Four-Wheel Wagon	30.50	59.00	33.25	33.00	62.00	39.00	192	







SMALL POPPERS EXPORT – CE MARK AVAILABLE

EXPORT — CE MARK AVAILABLE			ELECTRICAL				NE DIMEI CENTIMETER			P DIMENS CENTIMETER		SHIP WEIGHT
MACHINE	KETTLE	SERVINGS*	VOLTAGE	WATTS	AMPS	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
Nugget	6 oz	120	230V/50HZ	1100	4.8	36.83	52.07	78.11	48.26	60.96	86.36	25.20
Apprentice	6 oz	120	230V/50HZ	1250	5.4	35.56	45.72	71.12	50.80	63.50	80.65	31.50
Goldrush Red Top	6 oz	120	230V/50HZ	1150	5	36.83	53.34	69.85	48.26	60.96	78.74	25.20
Goldrush Antique	6 oz	120	230V/50HZ	1150	5	35.56	53.34	85.73	48.26	60.96	91.44	25.20
Goldrush Antique on Wagon Base	6 oz	120	230V/50HZ	1150	5	52.71	104.78	165.10	60.33	112.40	172.72	60.75
Nite Club	6 oz	120	230V/50HZ	1150	5	36.83	53.34	69.85	48.26	60.96	78.74	25.20
Trilogy	8/12/16 oz	160-320	230V/50HZ	1440	7.1	53.34	60.96	87.63	66.04	73.66	101.60	42.30
T-2000 Red Top	8 oz	160	230V/50HZ	1325	5.8	53.34	53.34	77.47	66.04	66.04	83.82	36.90
T-2000 Antique	8 oz	160	230V/50HZ	1325	5.8	53.34	53.34	95.25	66.04	66.04	104.14	35.10
T-2000 Antique on Wagon Base	8 oz	160	230V/50HZ	1325	5.8	71.12	106.05	168.91	78.74	109.22	177.80	83.25
T-3000 Red Top	12 oz	240	230V/50HZ	1800	7.8	53.34	60.96	87.63	66.04	73.66	101.60	47.25
T-3000 Antique	12 oz	240	230V/50HZ	1800	7.8	56.52	63.50	104.14	66.04	73.66	111.76	48.60
T-3000 Antique on Wagon Base	12 oz	240	230V/50HZ	1800	7.8	71.12	111.76	177.80	78.74	109.22	190.50	98.10
T-3000 Plus Red Top	12 oz	240	230V/50HZ	2260	9.8	53.34	60.96	87.63	66.04	73.66	101.60	50.85
Antique T-3000 Plus Red Top	12 oz	240	230V/50HZ	2260	9.8	56.52	63.50	104.14	66.04	73.66	111.76	48.60
T-3000 Antique Plus on Wagon Base	12 oz	240	230V/50HZ	2260	9.8	71.12	111.76	177.80	78.74	109.22	190.50	98.10
Profiteer Red Top	14 oz	280	230V/50HZ	1800	8	55.88	72.39	87.63	71.12	86.36	99.06	56.70
Profiteer Antique	14 oz	280	230V/50HZ	1800	8	59.69	76.20	107.32	71.12	86.36	114.30	57.60
Profiteer Antique on Wagon Base	14 oz	280	230V/50HZ	1800	8	71.12	106.05	183.52	78.74	110.50	190.50	106.65

^{* 1} oz servings per hour

Export machines are provided with Euro plugs as standard. Optional plugs may be requested.

Base and unit ship separately unless specified.

Due to voltage variations, your Amp draw may vary. OHM's Law is Amps=Watts/Volts





OIL PUMPS, HEATERS AND WARMERS EXPORT - CE MARK AVAILABLE

	ELECTRICAL			MACHINE DIMENSIONS CENTIMETERS			SHIP C	SHIP WEIGHT			
MACHINE	VOLTAGE	WATTS	AMPS		LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg
7700 Automatic Bucket Pump, remote control	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
7700 Automatic Bucket Pump, self contained (use with Profiteer)	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
7700 Automatic Bucket Salt/Sugar Pump	230V/50HZ	700	3		55.88	33.02	33.02	63.50	38.10	38.10	9.00
Hot Rod	230V/50HZ	400	1.7		6.35	59.69	5.72	10.16	60.96	6.35	1.80
Bag-in-Box Pump with side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	50.80	16.65
Bag-in-Box Pump Heated with side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	50.80	15.75
Bag-in-Box Pump Heated with front/rear discharge	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	48.26	15.75
Bag-in-Box Salt/Sugar Pump with Side oil line	230V/50HZ	250	1.1		45.72	34.93	41.91	55.88	43.82	48.26	15.75
Bag-in-Box Backroom Warmer Heated 4 shelf unit	230V/50HZ	180	8		43.18	40.64	125.73	50.80	50.80	129.54	33.30

WAGON BASES EXPORT – CE MARK AVAILABLE

		MACHINE DIMENSIONS CENTIMETERS			SHIP DIMENSIONS CENTIMETERS			
MACHINE	LENGTH	WIDTH	HEIGHT	LENGTH	WIDTH	HEIGHT	kg	
Antique Red Goldrush 2-Wheel Wagon	52.71	102.87	79.38	58.42	109.22	86.36	27.90	
Red Goldrush Two-Wheel Knock Down Wagon	52.71	104.78	79.38	53.98	53.98	35.56	21.15	
Red Goldrush Two-Wheel Knock Down Wagon – UPS	52.71	104.78	79.38	48.26	60.96	81.28	24.30	
Nite Club Black Two-Wheel Wagon	52.71	104.78	79.38	58.42	109.22	86.36	28.35	
Nite Club Black Two-Wheel Knock Down Wagon	52.71	104.78	79.38	55.88	58.42	33.02	21.60	
Nite Club Black Two-Wheel Knock Down Wagon - UPS	52.71	104.78	79.38	48.26	60.96	91.44	24.30	
Antique Red T-2000 Two-Wheel Wagon	71.12	106.05	81.92	78.74	116.84	93.98	49.05	
Antique Red T-3000 Two-Wheel Wagon	71.12	113.03	81.28	76.20	116.84	91.44	49.05	
Antique Red Profiteer Two-Wheel Wagon	71.12	102.87	84.46	78.74	116.84	91.44	49.05	
Antique Red Four-Wheel Wagon	75.57	149.86	84.46	83.82	157.48	99.06	78.30	
Antique Red Steerable Four-Wheel Wagon	77.47	149.86	84.46	83.82	157.48	99.06	86.40	









Goldrush 6oz./8oz.



Part Number	Voltage	Wattage	NEMA Plug	Capacity
**GR8AXX-XX-X	120v/60Hz	1150	5-15	6/8 oz
**GR8EXX-XX-X	230v/50Hz	1150	N/A	170/227 g

Shipping Weight 56 lbs / Shipping Dimensions: 19in x 24in x 32in

Metric Shipping Weight: 25.20 kg / Shipping Dimensions: 48cm x 61cm x 82cm

**Actual dimensions available in technical drawing below

*Actual dimensions available in technical drawing below **Actual part number dependent on features selected

