



Hot Powder

Specialty Beverage Dispensers



Hot Powdered Specialty

more flavors... more choices

Clear View™ Hoppers

Large (5 lb/2.25 kg),
Clear View™ hoppers
for fast product
level visibility.

6.5 lb/3 kg hopper in PIC 1K



PIC 2, PIC 3, PIC 5, PIC 6

Model PIC 3



Compact 12" width!

Safe... Not Sorry

Patented safety rib on
dispense nozzle and
generous cup clearance
assures cups don't catch.



All Models

Direct Drive Hoppers

Self-aligning
pin & link
hopper drive
for durability
and easy
install.



PIC 1K, PIC 2, PIC 3, PIC 5, PIC 6

Options*:

Graphics



Choose from our enticing
graphics library or ask about
custom graphics* from your art.

PIC 1, PIC 2, PIC 3

Dispense Style

The choice is yours...



- Manual Flow or
- Single Portion per head



- Three portion sizes per
head plus "top-off"

PIC 2, PIC 3

Hopper Pinwheels

Choose:

Single Pinwheel (standard) for most
applications



Dual Pinwheel option*
(Products that tend to bridge or sticky
products)

PIC 2, PIC 3, PIC 5, PIC 6

* additional cost and/or minimum quantity may apply on some options

cappuccino • chai tea • gourmet cocoa • steamed milk • hot chocolate

Hot Beverage Dispensers

Attracts... more customers

Model PIC 1K



Compact
7" width!

Curb Appeal



All Models

Draw more attention and sales with large, bold, front-lit graphics.

- Easy change graphics
- Easy access lighting

Ambient Dispense

User adjustable ambient beverage dispense.

Not available on PIC 1.



PIC 2, PIC 3, PIC 4, PIC 5, PIC 6

Coffee ~ Fast & Fresh!

Serve fresh, hot coffee - *FAST* - using your soluble coffee with our soluble coffee option.



Auger Springs
 .718 pitch-large throws (option*)
 .531 pitch-medium throws (standard)
 .406 pitch-small throws (option*)

Key Lock*
 option on door offers added security.

4" - 5" (10-13 cm) Legs*
 option offer easy access to clean under machine.

Auger Motors
 Fast speed (145 RPM) for larger dosage. (standard)
 Slow speed (30 RPM) for small dosage. (soluble coffee)

Water - Anytime, Anywhere

With our water pump accessory*

Allows machine to operate from remote water supply such as 5 gallon water bottles.

All Models

• soup • hot apple cider • flavored cappuccinos • cappuccino • chai tea



Model PIC 5

pictured with optional Island Graphics

270° Attraction

Optional Island graphics include full coverage side merchandisers in addition to the standard large, bold front-lit graphic which attract customers and sales.



PIC 5, PIC 6

Hit the Mark Every Time



Curved panel and cup guide on tray allow easy self-service.

PIC 5, PIC 6

High Capacity Low Cost Operation

Insulated, high capacity water tank for peak demand, economically operates at 75W*.

* 75W standby



PIC 5, PIC 6

More is Better

Drain tray holds more so you can empty it less.
(drain connect feature also included)

PIC 5 = 1½ gallons (6 liters),
PIC 6 = 2 gallons (8 liters)



PIC 5, PIC 6



Model PIC 6

pictured with optional Island Graphics

Model PIC 4



Compact 16.5" width!

Focus Flavor Hopper

4 generous hoppers include 1 extra large (11.5 lb/5.2 kg) Focus Flavor™ hopper and 3 large (5.5 lb/2.5 kg) hoppers.



Curb Appeal

Draw more attention and sales with large, bold, front-lit graphics.

- Easy change graphics
- Easy access lighting



Safe... Not Sorry

Patented safety rib on dispense nozzle and generous cup clearance assures cups don't catch.



Options:

Dispense Style

The choice is yours...



- Manual Flow †
- Single Portion per head †§

† Available with or without hot water option*.



- Three portion sizes per head plus "top-off" §*

PIC4

Hot Water Dispense §*

Prepare a variety of food & drinks - the possibilities are endless...



PIC4, PIC5

Coffee Fresh & Fast §

Serve fresh, hot coffee - FAST - using your soluble coffee with our soluble coffee option.



PIC4

Water - Anytime, Anywhere

With our water pump accessory*

Allows machine to operate from remote water supply such as 5 gallon water bottles.



All Models

* additional cost applies § minimum order quantities required

cappuccino • chai tea • gourmet cocoa • steamed milk • hot choc

Specification Sheets Available by Model on our Full Line of Powdered Specialty Beverage Dispensers:

<p>Choice of graphics on PIC1, PIC2, PIC3</p> 	 <p>PIC 1K Series</p>	 <p>PIC 2 Series</p>	 <p>PIC 3 Series</p>
<p>Electrical & Listings</p>	<p>PIC: 120V/60Hz, 1650W, 14A (UL, NSF) PIC-CUL: 120V/60Hz, 1400W, 12A (CUL, UL, NSF) PIC-E: 230V, 50/60Hz, 2300W, 10A (CE, NSF)</p>		
<p>Water Line</p>	<p>1/4" (6.35mm) flare</p>	<p>1/4" (6.35mm) flare</p>	<p>1/4" (6.35mm) flare</p>
<p># Hoppers/Sizes</p>	<p>1 (6.5 lb/3 kg)</p>	<p>2 (5 lb/2.25 kg each)</p>	<p>3 (5 lb/2.25 kg each)</p>
<p>Tank Size</p>	<p>1.5 gallons (5.7 L)</p>	<p>3.5 gallons (13.2 L)</p>	<p>3.5 gallons (13.2 L)</p>
<p>Cup Clearance</p>	<p>PIC1/PIC1K/PIC1-CUL: 7" (18 cm) std PIC1K-AE: 4.5" (11.4 cm) std</p>	<p>PIC2/PIC2-CUL: 7" (18 cm) std PIC2AE: 4.5" (11.4 cm) std</p>	<p>PIC3/PIC3-CUL: 7" (18 cm) std PIC3AE: 4.5" (11.4 cm) std</p>
<p>Dimensions (H x W x D)</p>	<p>25-1/4" x 7" x 22-7/8" (64 cm x 18 cm x 59 cm)</p>	<p>26-1/2" x 12" x 22" (67 cm x 30 cm x 56 cm)</p>	<p>26-1/2" x 12" x 22" (67 cm x 30 cm x 56 cm)</p>
<p>Ship Dimensions / Weight</p>	<p>29-1/2" x 12-1/2" x 27" / 48 lb 75 cm x 32 cm x 69 cm / 21.8 kg</p>	<p>32" x 16-1/2" x 26-3/4" / 81 lb 81 cm x 42 cm x 68 cm / 37 kg</p>	<p>32" x 16-1/2" x 26-3/4" / 83 lb 81 cm x 42 cm x 68 cm / 38 kg</p>
<p>Dispense Style</p>	<p>PIC1: manual</p>	<p>PIC2: manual PIC2AE: single portion control</p>	<p>PIC3: manual PIC3A & PIC3AE: single portion control[§] PIC3-3A: three portions per head</p>
	 <p>PIC 4 Series</p>	 <p>PIC 5 Series</p>	 <p>PIC 6 Series</p>
<p>Electrical & Listings</p>	<p>PIC: 120V, 60Hz, 1650W, 14A (UL, NSF) PIC-CUL: 120V, 60Hz, 1400W, 12A (CUL, UL, NSF)</p>		
<p>Water Line</p>	<p>1/4" (6.35 mm) flare</p>	<p>1/4" (6.35 mm) flare</p>	<p>1/4" (6.35 mm) flare</p>
<p># Hoppers/Sizes</p>	<p>4 (three - 5.5 lb/2.5 kg, one - 11.5lb/5.2kg)</p>	<p>5 (5 lb/2.25 kg each)</p>	<p>6 (5 lb/2.25 kg each)</p>
<p>Tank Size</p>	<p>3.5 gallons (13.2 L)</p>	<p>5 gallons (19L) insulated tank</p>	<p>5 gallons (19L) insulated tank</p>
<p>Cup Clearance</p>	<p>7" (18 cm) std</p>	<p>8" (21 cm) std</p>	<p>8" (21 cm) std</p>
<p>Dimensions (H x W x D)</p>	<p>32-1/2" x 16-1/2" x 22" (83 cm x 42 cm x 57 cm)</p>	<p>34-3/4" - 35-3/4" x 20-1/2" x 24-3/4" (88-91 cm x 52 cm x 63 cm)</p>	<p>34-3/4" - 35-3/4" x 24-1/4" x 25" (88-91 cm x 62 cm x 64 cm)</p>
<p>Ship Dimensions / Weight</p>	<p>38" x 21" x 27" / 100 lb 97 cm x 53 cm x 69 cm / 46 kg</p>	<p>44" x 30-1/4" x 30-1/4" / 130 lb 112 cm x 77 cm x 77 cm / 59 kg</p>	<p>44" x 30-1/4" x 30-1/4" / 160 lb 112 cm x 77 cm x 77 cm / 73 kg</p>
<p>Dispense Style</p>	<p>PIC4: manual PIC4A: single portion control[§] PIC4-3A: three portions per head[§]</p>	<p>PIC5: manual</p>	<p>PIC6: manual</p>

§ minimum order quantities required



GRINDMASTER™
 CORPORATION

Tel (502) 425-4776 • Fax (502) 425-4664 • 1-800-695-4500 (USA & Canada only)