

Koro ES

by NECTA



Advanced Solutions for Today's Market

VE Global Solutions, LLC

Koro ES

by NECTA

Advanced Solutions for Today's Market

Features

- Ideal for medium sized locations such as hotels, bars, restaurants and offices
- Bean grinder
- Up to 8 Selections
- Compact Size
- Carafe Capable

Capacities

- Coffee Beans: 0.77 lbs.
- Powdered Milk: 1.43 lbs.
- Hot Chocolate: 1.43 lbs.

Accessories

- Fresh Milk Frother
- Minifridge
- Payment Module (MDB)
- Audit Capable for DEX
- Cup-warmer
- Base Cabinet
- 6 liter Side Water Tank

Dimensions & Weight

- Height: 19.7"
- Width: 13"
- Depth: 20.5"
- Weight: 59.4 lbs



Water Supply

Water can be supplied in 3 ways:

- Plumb to Main Water Supply
- 5 gallon Bottle Water Option
- 6 liter Side Water Tank

Payment System

- MDB Payment Module
- Zip Cashless System

Electrical

- Voltage: 120V-60Hz
- Amp Draw: 11.8 amps

VE Global Solutions, LLC

8700 Brookpark Road, Cleveland OH 44129 USA
Phone: 800.321.2511, 216.706.7380 Fax: 216.706.7381
info@veglobal.net | www.veglobal.net

NSF

UL NAMA LISTED



Koro FB

by NECTA



Advanced Solutions for Today's Market

VE Global Solutions, LLC

Koro FB

by NECTA

Advanced Solutions for Today's Market

Features

- Ideal for medium sized locations such as hotels, bars, restaurants and offices
- Patented Sigma Brewer prepares a single cup to a full carafe in as little as 25 seconds
- Up to 8 Selections
- Compact Size
- Carafe Capable

Water Supply

Water can be supplied in 3 ways:

- Plumb to Main Water Supply
- 5 gallon Bottle Water Option
- 6 liter Side Water Tank



Capacities

- Ground Coffee: 0.77 lbs.
- Ground Decaf: 2.0 lbs.*
- Powdered Milk: 1.43 lbs.
- Hot Chocolate: 1.43 lbs.

* Depends on canister configuration. Can be set up with 2 coffee canisters

Accessories

- Payment Module (MDB)
- Audit Capable for DEX
- Cup-warmer
- Base Cabinet
- 6 liter Side Water Tank

Payment System

- MDB Payment Module
- Zip Cashless System

Dimensions & Weight

- Height: 19.7"
- Width: 20.1"
- Depth: 20.5"
- Weight: 59.4 lbs

Electrical

- Voltage: 120V-60Hz
- Amp Draw: 11.3 amps

VE Global Solutions, LLC

8700 Brookpark Road, Cleveland OH 44129 USA
Phone: 800.321.2511, 216.706.7380 Fax: 216.706.7381
info@veglobal.net | www.veglobal.net

NSF UL NAMA LISTED